Notice of Allowability	Application No.	Applicant(s)	
	09/964,052	NEIL ET AL.	
	Examiner	Art Unit	
	Christopher A. Fiorilla	1731	
The MAILING DATE of this communication appoints and claims being allowable, PROSECUTION ON THE MERITS IS therewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT ROOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in to other appropriate community. This application is su	this application. If not inclu nication will be mailed in du-	ded e course. THIS
 This communication is responsive to The allowed claim(s) is/are 1-22. The drawings filed on 26 September 2001 are accepted by Acknowledgment is made of a claim for foreign priority up a) All b) Some* c) None of the: 		· (f).	
, — , — , —	n haan raasiyad		
 Certified copies of the priority documents have Certified copies of the priority documents have 		No	
			ation from the
 Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). 			
* Certified copies not received:			
 5. Acknowledgment is made of a claim for domestic priority use reference was included in the first sentence of the specification. (a) The translation of the foreign language provisional and acknowledgment is made of a claim for domestic priority use in the first sentence of the specification or in an Application. 	ation or in an Application Data application has been received. nder 35 U.S.C. §§ 120 and/or	Sheet. 37 CFR 1.78.	·
Applicant has THREE MONTHS FROM THE "MAILING DATE" obelow. Failure to timely comply will result in ABANDONMENT of	f this communication to file a r this application. THIS THRE	eply complying with the rec E-MONTH PERIOD IS NO	quirements noted T EXTENDABLE
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which giv 			NOTICE OF
 CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No 		(PTO-948) attached	
(b) ☐ including changes required by the proposed drawing of(c) ☐ including changes required by the attached Examiner		has been approved by the n the Office action of Paper	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the he margin according to 37 CFR	drawings in the front (not the 1.121(d).	ne back) of
9. DEPOSIT OF and/or INFORMATION about the depondant ached Examiner's comment regarding REQUIREMENT FOR T	sit of BIOLOGICAL MATER THE DEPOSIT OF BIOLOGIC	RIAL must be submitted. AL MATERIAL.	Note the
Attachment(s)			
1⊠ Notice of References Cited (PTO-892)	5 Notice of Infor	mal Patent Application (PT	O-152)
 2☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No 	6☐ Interview Sum	mary (PTO-413), Paper No	·
	3), 7⊠ Examiner's An	nendment/Comment	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8⊠ Examiner's Sta 9⊡ Other .	atement of Reasons for Allo	owance
		Christopher A. Fic Primary Examiner Art Unit: 1731	

Application/Control Number: 09/964,052 Page 2

Art Unit: 1731

1. An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

2. The application has been amended as follows:

In the title:

The title has been amended to read as follows:

CERAMIC ARC TUBE ASEMBLY

In the claims:

This application is in condition for allowance except for the presence of claims 22-33 to

an invention non-elected without traverse. Accordingly, claims 22-33 have been cancelled.

3. The following is an examiner's statement of reasons for allowance:

The prior art of record does not teach or suggest a ceramic art tube assembly comprising

a transient assembly button being fixed around a capillary tube and contacting an edge of the

open end of a hollow body and being capable of removal from the capillary tube without causing

damage to the arc tube assembly as substantially set forth in the claims.

Any comments considered necessary by applicant must be submitted no later than the

payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Application/Control Number: 09/964,052 Page 3

Art Unit: 1731

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher A. Fiorilla whose telephone number is (571) 272-1187. The examiner can normally be reached on M-F, 6:30am-3:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven P. Griffin can be reached on (571) 272-1189. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0651.

Christopher A. Fiorilla Primary Examiner Art Unit 1731